

AUSTIN OILTIGHT CONSOLETS AND PEDESTALS

Austin Oiltight Consolets are Underwriters Laboratories Listed and are designed to house electrical controls and instruments. The consolet can be mounted on machines, desk tops, or Austin consolet pedestals. It can also be mounted to give a control surface incline of 30° or 60° angle. They provide a degree of protection against circulating dust, falling dirt, and dripping noncorrosive liquids.

Construction:

- Fabricated in accordance with UL specifications from code gauge steel.
- Continuously welded seams ground smooth.
- Neoprene gasket attached to cover with oil resistant adhesive.
- Cover attached by captivated screws threaded into sealed wells and continuous hinge on opposite side.



Pushbutton
Enclosures &
Consolets

Finish:

Austin Oiltight Consolets are provided standard with an ANSI 61 gray polyester powder coating.

Options:

- Special materials.
- Special finishes.

**INDUSTRY
STANDARDS**

UL 50 **Type 12 & 13**
NEMA **Type 12 & 13**
(except for mounting
provisions)
CUL **Type 12 & 13**

Austin Electrical Enclosures
Post Office Box 2320
Yadkinville, NC 27055

Phone: 336.468.2851
800.288.2851

AUSTIN OILTIGHT CONSOLETS AND PEDESTALS

Austin Pedestals and Bases allow the consolets to be floor mounted. Wiring can be installed through the base, access opening in pedestal, or directly into the consolet.

Construction:


- Box connector fitting, a neoprene gasket on column flange, and screws are provided to attach the consolet to the pedestal.
- Pedestal fabricated from 14 gauge steel.
- Base fabricated from 10 gauge steel.

Finish:

Austin pedestals and bases are provided standard with an ANSI 61 gray polyester powder coating.



Options:

- Special materials.
- Special finishes.



Pushbutton
Enclosures &
Consolets

AUSTIN OILTIGHT CONSOLETS AND PEDESTALS



Pushbutton
Enclosures &
Consoles


**INDUSTRY
STANDARDS**

UL 50 **Type 12 & 13**
NEMA **Type 12 & 13**
(except for mounting provisions)
CUL **Type 12 & 13**

Austin Electrical Enclosures
Post Office Box 2320
Yadkinville, NC 27055

Phone: 336.468.2851
800.288.2851

AUSTIN OILTIGHT CONSOLETS AND PEDESTALS



Pushbutton
Enclosures &
Consoles

Oiltight Consoles

Catalog Number	Enclosure Size (AxBxC)	"D" Dimension	Weight	Catalog Number	Enclosure Size (AxBxC)	"D" Dimension	Weight
AB-88PBC	8x8x7 5/32	7 7/16	8	AB-1616PBC	16x16x11 5/32	14 3/8	22
AB-812PBC	8x12x7 5/32	7 7/16	10	AB-1620PBC	16x20x11 5/32	14 3/8	27
AB-816PBC	8x16x7 5/32	7 7/16	12	AB-1624PBC	16x24x11 5/32	14 3/8	31
AB-820PBC	8x20x7 5/32	7 7/16	14	AB-1630PBC	16x30x11 5/32	14 3/8	34
				AB-1636PBC	16x36x11 5/32	14 3/8	45
AB-1212PBC	12x12x9 5/32	10 7/8	15				
AB-1216PBC	12x16x9 5/32	10 7/8	18	AB-2020PBC	20x20x13 5/32	17 7/8	34
AB-1220PBC	12x20x9 5/32	10 7/8	22	AB-2024PBC	20x24x13 5/32	17 7/8	35
AB-1224PBC	12x24x9 5/32	10 7/8	26	AB-2030PBC	20x30x13 5/32	17 7/8	51

Pedestals and Bases

Catalog Number	Description (AxB)	"D"	"E"	"F"	"G"	"H"	"J"	Weight	Catalog Number	Description (Cx C)	Weight
AB-44PS	4x4 Pedestal	5.63	5.63	4.00	3.00	8.00	6.75	18	AB-1818B	18x18 Base	20
AB-66PS	6x6 Pedestal	7.63	7.63	6.00	4.75	8.00	6.75	24	AB-2424B	24x24 Base	47